

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
Issue date: 2022/12/22 Revision date: 2022/12/22 Supersedes version of: 2020/4/7 Version: 3.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : DANO® PASTÖS FINISH  
Product code : 11786\_0030

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Intended for general public  
Main use category : Industrial use. Professional use. Consumer use.  
Use of the substance/mixture : Wall plaster (Pasty)

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

##### Supplier

Danogips GmbH&Co.KG  
Tilsiter Str., 2  
DE- 41460 Neuss – Nordrhein-Westfalen  
Germany  
T 02131/71810-0 - F 02131/71810-94  
[info@danogips.de](mailto:info@danogips.de) - [www.danogips.de](http://www.danogips.de)

##### Technical information

Danogips Technik  
T +49 (0)2131/71810-88  
[technik@danogips.de](mailto:technik@danogips.de)

#### 1.4. Emergency telephone number

No additional information available

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

##### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Precautionary statements (CLP) : P102 - Keep out of reach of children.  
P262 - Do not get in eyes, on skin, or on clothing.  
EUH-statements : EUH208 - Contains mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1), 2-methyl-2H-isothiazol-3-one, 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.  
EUH210 - Safety data sheet available on request.  
Extra phrases : Treated article according to Regulation (EU) No 528/2012 to ensure the stability and shelf life.  
VOC content: < 0,1 % (< 1 g/L).

#### 2.3. Other hazards

Contains no PBT/vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

# DANO® PASTÖS FINISH

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Component   |   |
|---|---|
| 1,2-benzisothiazol-3(2H)-one (2634-33-5)  | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII<br>This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |
| mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) (55965-84-9) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII<br>This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |
| 2-methyl-2H-isothiazol-3-one (2682-20-4)  | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII<br>This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

| Name   | Product identifier  | %        | Classification according to Regulation (EC) No. 1272/2008 [CLP]   |
|--|---|----------|---|
| 1,2-benzisothiazol-3(2H)-one   | CAS-No.: 2634-33-5<br>EC-No.: 220-120-9<br>EC Index-No.: 613-088-00-6 | < 0,05   | Acute Tox. 4 (Oral), H302<br>Acute Tox. 2 (Inhalation), H330<br>Skin Irrit. 2, H315<br>Eye Dam. 1, H318<br>Skin Sens. 1, H317<br>Aquatic Acute 1, H400<br>Aquatic Chronic 2, H411   |
| mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | CAS-No.: 55965-84-9<br>EC Index-No.: 613-167-00-5                     | < 0,0015 | Acute Tox. 2 (Inhalation), H330<br>Acute Tox. 2 (Dermal), H310<br>Acute Tox. 3 (Oral), H301<br>Skin Corr. 1C, H314<br>Eye Dam. 1, H318<br>Skin Sens. 1A, H317<br>Aquatic Acute 1, H400 (M=100)<br>Aquatic Chronic 1, H410 (M=100) |
| 2-methyl-2H-isothiazol-3-one   | CAS-No.: 2682-20-4<br>EC-No.: 220-239-6<br>EC Index-No.: 613-326-00-9 | < 0,0015 | Acute Tox. 2 (Inhalation), H330<br>Acute Tox. 3 (Dermal), H311<br>Acute Tox. 3 (Oral), H301<br>Skin Corr. 1B, H314<br>Eye Dam. 1, H318<br>Skin Sens. 1A, H317<br>Aquatic Acute 1, H400 (M=10)<br>Aquatic Chronic 1, H410          |

#### Specific concentration limits:

| Name                         | Product identifier  | Specific concentration limits       |
|------------------------------|---|-------------------------------------|
| 1,2-benzisothiazol-3(2H)-one | CAS-No.: 2634-33-5<br>EC-No.: 220-120-9<br>EC Index-No.: 613-088-00-6 | ( 0,05 ≤C ≤ 100) Skin Sens. 1, H317 |

# DANO® PASTÖS FINISH

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Specific concentration limits:   |   |  |
|--|---|--|
| Name   | Product identifier  | Specific concentration limits  |
| mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | CAS-No.: 55965-84-9<br>EC Index-No.: 613-167-00-5                     | ( 0,0015 ≤C ≤ 100) Skin Sens. 1A, H317<br>( 0,06 ≤C < 0,6) Skin Irrit. 2, H315<br>( 0,06 ≤C < 0,6) Eye Irrit. 2, H319<br>( 0,6 ≤C ≤ 100) Eye Dam. 1, H318<br>( 0,6 ≤C ≤ 100) Skin Corr. 1C, H314 |
| 2-methyl-2H-isothiazol-3-one   | CAS-No.: 2682-20-4<br>EC-No.: 220-239-6<br>EC Index-No.: 613-326-00-9 | ( 0,0015 ≤C ≤ 100) Skin Sens. 1A, H317   |

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

|                                       |  |
|---------------------------------------|--|
| First-aid measures after inhalation   | : Remove person to fresh air and keep comfortable for breathing.                   |
| First-aid measures after skin contact | : Wash skin with plenty of water.  |
| First-aid measures after eye contact  | : Rinse eyes with water as a precaution. Get medical advice/attention.             |
| First-aid measures after ingestion    | : Call a poison center or a doctor if you feel unwell. Rinse mouth out with water. |

### 4.2. Most important symptoms and effects, both acute and delayed

No additional information available

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam.

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Avoid release to the environment.

# DANO® PASTÖS FINISH

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 6.3. Methods and material for containment and cleaning up

|                         |   |
|-------------------------|---|
| Methods for cleaning up | : Take up liquid spill into absorbent material.                 |
| Other information       | : Dispose of materials or solid residues at an authorized site. |

### 6.4. Reference to other sections

For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

|                               |   |
|-------------------------------|---|
| Precautions for safe handling | : Ensure good ventilation of the work station. Wear personal protective equipment.                  |
| Hygiene measures              | : Do not eat, drink or smoke when using this product. Always wash hands after handling the product. |

### 7.2. Conditions for safe storage, including any incompatibilities

|                           |   |
|---------------------------|---|
| Storage conditions        | : Store in a well-ventilated place. Keep cool.              |
| Heat and ignition sources | : KEEP SUBSTANCE AWAY FROM: heat sources. ignition sources. |

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

No additional information available

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

##### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



# DANO® PASTÖS FINISH

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 8.2.2.1. Eye and face protection

| Eye protection                                 |  |                 |          |
|--|--|-----------------|----------|
| Type   | Field of application   | Characteristics | Standard |
| Safety glasses with side shields               | Use splash goggles when eye contact due to splashing is possible |                 |          |
| In case of dust production: protective goggles |  |                 |          |

### 8.2.2.2. Skin protection

#### Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

Protective gloves

| Hand protection               |                      |            |                |             |          |
|-------------------------------|----------------------|------------|----------------|-------------|----------|
| Type                          | Material             | Permeation | Thickness (mm) | Penetration | Standard |
| Impermeable protective gloves | Nitrile rubber (NBR) |            |                |             |          |

### 8.2.2.3. Respiratory protection

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

| Respiratory protection    |             |  |          |
|---------------------------|-------------|--|----------|
| Device                    | Filter type | Condition                                | Standard |
| Dust formation: dust mask | Type P2     | Milling, grinding and similar activities |          |

### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|                       |                             |
|-----------------------|-----------------------------|
| Physical state        | : Liquid                    |
| Colour                | : White to yellow.          |
| Appearance            | : Pasty.                    |
| Odour                 | : characteristic.           |
| Odour threshold       | : Not available             |
| Melting point         | : Not applicable            |
| Freezing point        | : Not available             |
| Boiling point         | : 100 °C                    |
| Flammability          | : Not self-igniting         |
| Explosive properties  | : Product is not explosive. |
| Oxidising properties  | : Non oxidizing.            |
| Explosive limits      | : Not available             |
| Lower explosion limit | : Not available             |
| Upper explosion limit | : Not available             |
| Flash point           | : Not available             |

# DANO® PASTÖS FINISH

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

|   |                                  |
|---|----------------------------------|
| Auto-ignition temperature                       | : Not available                  |
| Decomposition temperature                       | : Not available                  |
| pH  | : 8                              |
| Viscosity, kinematic                            | : Not available                  |
| Solubility                                      | : Not available                  |
| Partition coefficient n-octanol/water (Log Kow) | : Not available                  |
| Vapour pressure                                 | : Not available                  |
| Vapour pressure at 50°C                         | : Not available                  |
| Density   | : 1 – 1,2 g/cm <sup>3</sup> 20°C |
| Relative density                                | : Not available                  |
| Relative vapour density at 20°C                 | : Not available                  |
| Particle characteristics                        | : Not applicable                 |

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

VOC content : < 0,1 % (< 1 g/L)

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

|                             |                  |
|-----------------------------|------------------|
| Acute toxicity (oral)       | : Not classified |
| Acute toxicity (dermal)     | : Not classified |
| Acute toxicity (inhalation) | : Not classified |

#### **mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) (55965-84-9)**

|                       |  |
|-----------------------|--|
| LD50 oral rat         | 66 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Calculated by reference to active substance, Oral, 14 day(s))                      |
| LD50 dermal rat       | > 141 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))  |
| LC50 Inhalation - Rat | 0,17 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Calculated by reference to active substance, Inhalation (aerosol), 14 day(s)) |

# DANO® PASTÖS FINISH

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### **mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) (55965-84-9)**

|                     |                      |
|---------------------|----------------------|
| ATE CLP (oral)      | 53 mg/kg bodyweight  |
| ATE CLP (dermal)    | 200 mg/kg bodyweight |
| ATE CLP (gases)     | 700 ppmv/4h          |
| ATE CLP (vapours)   | 3 mg/l/4h            |
| ATE CLP (dust,mist) | 0,5 mg/l/4h          |

### **2-methyl-2H-isothiazol-3-one (2682-20-4)**

|                       |  |
|-----------------------|--|
| LD50 oral rat         | 120 mg/kg bodyweight (EPA OPPTS 870.1100: Acute Oral Toxicity, Rat, Female, Experimental value, Oral, 7 day(s))              |
| LD50 dermal rat       | 242 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))      |
| LC50 Inhalation - Rat | 0,11 mg/l (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation (aerosol), 7 day(s)) |
| ATE CLP (oral)        | 120 mg/kg bodyweight   |
| ATE CLP (dermal)      | 242 mg/kg bodyweight   |
| ATE CLP (gases)       | 100 ppmv/4h  |
| ATE CLP (vapours)     | 0,11 mg/l/4h   |
| ATE CLP (dust,mist)   | 0,11 mg/l/4h   |

### **1,2-benzisothiazol-3(2H)-one (2634-33-5)**

|                     |  |
|---------------------|--|
| LD50 oral rat       | 490 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))          |
| LD50 dermal rat     | > 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s)) |
| ATE CLP (oral)      | 1020 mg/kg bodyweight  |
| ATE CLP (gases)     | 100 ppmv/4h  |
| ATE CLP (vapours)   | 0,5 mg/l/4h  |
| ATE CLP (dust,mist) | 0,05 mg/l/4h   |

|                                   |                           |
|-----------------------------------|---------------------------|
| Skin corrosion/irritation         | : Not classified<br>pH: 8 |
| Serious eye damage/irritation     | : Not classified<br>pH: 8 |
| Respiratory or skin sensitisation | : Not classified.         |
| Germ cell mutagenicity            | : Not classified          |
| Carcinogenicity                   | : Not classified          |
| Reproductive toxicity             | : Not classified          |
| STOT-single exposure              | : Not classified          |
| STOT-repeated exposure            | : Not classified          |
| Aspiration hazard                 | : Not classified          |

### **11.2. Information on other hazards**

No additional information available

# DANO® PASTÖS FINISH

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 12: Ecological information

#### 12.1. Toxicity

|   |   |
|---|---|
| Ecology - general   | : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. |
| Hazardous to the aquatic environment, short-term (acute)  | : Not classified  |
| Hazardous to the aquatic environment, long-term (chronic) | : Not classified  |

#### **mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) (55965-84-9)**

EC50 - Crustacea [1] 0,007 mg/l (48 h, Acartia tonsa, Salt water, Experimental value, GLP)

#### **2-methyl-2H-isothiazol-3-one (2682-20-4)**

ErC50 algae 0,23 mg/l (Equivalent or similar to OECD 201, 96 h, Pseudokirchneriella subcapitata, Static system, Experimental value, GLP)

#### **1,2-benzisothiazol-3(2H)-one (2634-33-5)**

LC50 - Fish [1] 2,18 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Static system, Experimental value, Nominal concentration)

EC50 - Crustacea [1] 2,94 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Experimental value, Lethal)

ErC50 algae 150 µg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Experimental value, GLP)

#### 12.2. Persistence and degradability

#### **mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) (55965-84-9)**

Persistence and degradability Not readily biodegradable in water.

#### **2-methyl-2H-isothiazol-3-one (2682-20-4)**

Persistence and degradability Not readily biodegradable in water.

#### **1,2-benzisothiazol-3(2H)-one (2634-33-5)**

Persistence and degradability Not readily biodegradable in water.

#### 12.3. Bioaccumulative potential

#### **mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) (55965-84-9)**

BCF - Fish [1] 41 – 54 (OECD 305: Bioconcentration: Flow-Through Fish Test, 28 day(s), Lepomis macrochirus, Flow-through system, Fresh water, Experimental value, Fresh weight)

Partition coefficient n-octanol/water (Log Pow) 0,75 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 24 °C)

Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).

#### **2-methyl-2H-isothiazol-3-one (2682-20-4)**

BCF - Fish [1] 5,75 – 48,1 (56 day(s), Lepomis macrochirus, Flow-through system, Fresh water, Experimental value)

Partition coefficient n-octanol/water (Log Pow) -0,486 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)

Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).



# DANO® PASTÖS FINISH

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 1,2-benzisothiazol-3(2H)-one (2634-33-5)

|   |  |
|---|--|
| BCF - Fish [1]                                  | 6,62 (Equivalent or similar to OECD 305, 56 day(s), Lepomis macrochirus, Experimental value, Fresh weight) |
| Partition coefficient n-octanol/water (Log Pow) | -0,9 – 0,99 (Experimental value, EU Method A.8: Partition Coefficient, 20 °C)                              |
| Bioaccumulative potential                       | Low potential for bioaccumulation (BCF < 500).   |

### 12.4. Mobility in soil

#### mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) (55965-84-9)

|  |                                      |
|--|--------------------------------------|
| Surface tension  | No data available in the literature  |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 0,81 – 1 (log Koc, Calculated value) |
| Ecology - soil   | Highly mobile in soil.               |

#### 2-methyl-2H-isothiazol-3-one (2682-20-4)

|  |   |
|--|---|
| Surface tension  | 68,8 mN/m (19.5 °C, 1 g/l, OECD 115: Surface Tension of Aqueous Solutions)                                |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 1,06 (log Koc, OECD 106: Adsorption/Desorption Using a Batch Equilibrium Method, Experimental value, GLP) |
| Ecology - soil   | Highly mobile in soil.  |

#### 1,2-benzisothiazol-3(2H)-one (2634-33-5)

|  |  |
|--|--|
| Surface tension  | 72,6 mN/m (20 °C, 0.1 %, EU Method A.5: Surface tension)   |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 0,97 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP) |
| Ecology - soil   | Highly mobile in soil.   |

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

### 14.1. UN number or ID number

|               |                  |
|---------------|------------------|
| UN-No. (ADR)  | : Not applicable |
| UN-No. (IMDG) | : Not applicable |
| UN-No. (IATA) | : Not applicable |
| UN-No. (ADN)  | : Not applicable |
| UN-No. (RID)  | : Not applicable |

# DANO® PASTÖS FINISH

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 14.2. UN proper shipping name

|                             |                  |
|-----------------------------|------------------|
| Proper Shipping Name (ADR)  | : Not applicable |
| Proper Shipping Name (IMDG) | : Not applicable |
| Proper Shipping Name (IATA) | : Not applicable |
| Proper Shipping Name (ADN)  | : Not applicable |
| Proper Shipping Name (RID)  | : Not applicable |

### 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR) : Not applicable

#### IMDG

Transport hazard class(es) (IMDG) : Not applicable

#### IATA

Transport hazard class(es) (IATA) : Not applicable

#### ADN

Transport hazard class(es) (ADN) : Not applicable

#### RID

Transport hazard class(es) (RID) : Not applicable

### 14.4. Packing group

|                      |                  |
|----------------------|------------------|
| Packing group (ADR)  | : Not applicable |
| Packing group (IMDG) | : Not applicable |
| Packing group (IATA) | : Not applicable |
| Packing group (ADN)  | : Not applicable |
| Packing group (RID)  | : Not applicable |

### 14.5. Environmental hazards

|                               |  |
|-------------------------------|--|
| Dangerous for the environment | : No                                     |
| Marine pollutant              | : No                                     |
| Other information             | : No supplementary information available |

### 14.6. Special precautions for user

#### Overland transport

Not applicable

#### Transport by sea

Not applicable

#### Air transport

Not applicable

#### Inland waterway transport

Not applicable

#### Rail transport

Not applicable

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# DANO® PASTÖS FINISH

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU-Regulations

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

Contains no substance(s) listed on the REACH Candidate List

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

VOC content : < 0,1 % (< 1 g/L)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

##### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### SECTION 16: Other information

#### Full text of H- and EUH-statements:

|                           |  |
|---------------------------|--|
| Acute Tox. 2 (Dermal)     | Acute toxicity (dermal), Category 2  |
| Acute Tox. 2 (Inhalation) | Acute toxicity (inhal.), Category 2  |
| Acute Tox. 3 (Dermal)     | Acute toxicity (dermal), Category 3  |
| Acute Tox. 3 (Oral)       | Acute toxicity (oral), Category 3  |
| Acute Tox. 4 (Oral)       | Acute toxicity (oral), Category 4  |
| Aquatic Acute 1           | Hazardous to the aquatic environment – Acute Hazard, Category 1  |
| Aquatic Chronic 1         | Hazardous to the aquatic environment – Chronic Hazard, Category 1  |
| Aquatic Chronic 2         | Hazardous to the aquatic environment – Chronic Hazard, Category 2  |
| EUH208                    | Contains mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1), 2-methyl-2H-isothiazol-3-one, 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction. |
| EUH210                    | Safety data sheet available on request.  |
| Eye Dam. 1                | Serious eye damage/eye irritation, Category 1  |
| Eye Irrit. 2              | Serious eye damage/eye irritation, Category 2  |
| H301                      | Toxic if swallowed.  |
| H302                      | Harmful if swallowed.  |
| H310                      | Fatal in contact with skin.  |
| H311                      | Toxic in contact with skin.  |
| H314                      | Causes severe skin burns and eye damage.   |
| H315                      | Causes skin irritation.  |
| H317                      | May cause an allergic skin reaction.   |
| H318                      | Causes serious eye damage.   |
| H319                      | Causes serious eye irritation.   |
| H330                      | Fatal if inhaled.  |

# DANO® PASTÖS FINISH

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Full text of H- and EUH-statements: |  |
|-------------------------------------|--|
| H400                                | Very toxic to aquatic life.                            |
| H410                                | Very toxic to aquatic life with long lasting effects.  |
| H411                                | Toxic to aquatic life with long lasting effects.       |
| Skin Corr. 1B                       | Skin corrosion/irritation, Category 1, Sub-Category 1B |
| Skin Corr. 1C                       | Skin corrosion/irritation, Category 1, Sub-Category 1C |
| Skin Irrit. 2                       | Skin corrosion/irritation, Category 2                  |
| Skin Sens. 1                        | Skin sensitisation, Category 1                         |
| Skin Sens. 1A                       | Skin sensitisation, category 1A                        |

Knauf SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.